

# Active Amusements Inflatable Equipment Risk Assessment

Hazard	Existing Control Measures	Harm (1-5)	Likelihood (1-5)	Risk (1-5)	Further Control measure to reduce risk	Risk Acceptable Yes/No
The area in which castle is erected.	1 meter clearing around slide	1	3	1	Check area for debris that can cause harm	
Weather	Don't use when wet / High winds	3	3	3	Ensure equipment anchored correctly	
Damage to equipment	Check equipment before use	1	2	1	Ensure inflatable is rigid/ undamaged	
Crowd Control/ safety	Adequate Barriers/ Mats in place	3	2	1	Ensure persons maintain safe distance	
Participant collision	Ensure castle has correct amount of persons on at once	4	2	2	Supervise castle whilst persons are using, maintain control.	
Falls from Height	Ensure castle is up to latest industry safety standards	3	2	2	Ensure No one Climbs the Inflatable's walls	
Trip	Ensure equipment has adequate barriers in place	2	1	1	Ensure any electric cables do not cross the public's Pathway	
hazards	Existing control measures	Harm (1-5)	Likely hood (1-5)	Risk (1-5)	Further control measures required to reduce risk	Risk acceptable Yes/No
Jewellery/sharp objects/shoes	Ensure all sharp objects/ shoes are removed	2	1	1	Ensure castle is supervised when being used	
Boisterous behaviour	Supervise behaviour	4	2	2	Prevent persons from using the castle	
Choking/Slipping	Ensure no food or drink is taken onto castle	3	1	1	Ensure no chewing gum. Do not use equipment when wet	

# Inflatable Slide Risk Assessment

Hazard	Existing Control Measures	Harm (1-5)	Likelihood (1-5)	Risk (1-5)	Further Control measure to reduce risk	Risk Acceptable Yes/No
The area equipment Is erected	1 meter clearing around slide	1	3	1	Check area for debris that can cause harm	
Weather	Don't use when wet / High winds	3	3	3	Ensure equipment anchored	
Damage to equipment	Check equipment before use	1	2	1	Ensure inflatable is rigid	
Crowd Control/ safety	Adequate Barriers/ Mats in place	3	2	1	Ensure persons exit slide correctly	
Participant collision	Ensure no more than 2 people on the platform	4	2	2	No holding hands/ ensure persons are adequate distances apart	
Falls from Height	Ensure slide is up to latest industry safety standards	5	2	2	Ensure No one Climbs the Inflatable's walls	
Trip	Ensure equipment has adequate barriers in place	2	1	1	Ensure any electric cables do not cross the publics Pathway	

Awkward landings	Adult supervision	4	1	1	Ensure persons come down feet first at a safe distance apart	
Boisterous Behavior	Ensure equipment is supervised by an adult	4	2	2	Ensure persons acting in a manner which could result injury are removed and prohibited from using equipment	
Intoxicated persons	Adult supervision in place	2	2	2	Ensure persons under the influence are prohibited from using the equipment	